



PreACT[®] Secure Online Accessibility Conformance Report

International Edition

(Based on VPAT[®] Version 2.5)

Product/Version: PreACT[®] Secure Online

Report Date: May 2025

Product Description

The PreACT Secure Online contains multiple-choice tests in four areas: English, mathematics, reading and science, and an optional constructed response writing test. ACT content experts and developers create the items, which are delivered via Pearson's testing platform, TestNav. This VPAT includes accessibility information for both the content of the test and the platform on which it is delivered.

Contact Information

For questions, please email [Susan Hirsch](mailto:Susan.Hirsch@act.org) or VPAT@act.org

Notes

Each criterion was evaluated for both the content of the test and the platform on which it is delivered, and these are separately addressed in the rows below. However, the TestNav platform is developed and maintained by Pearson, and the following statements represent only ACT's findings and opinions.

Evaluation Methods Used

Our testing process includes a combination of product knowledge, automated and manual testing, heuristic analysis and internal testing with keyboard, JAWS, and NVDA, and user testing with external assistive technology users.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline | Included In Report |
|---|---|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.2 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018 | (Yes) |
| EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03) | (Yes) |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|--|---|
| <p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>All non-text content that is presented to the user has a text alternative that serves the equivalent purpose</p> |
| <p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>Most tests have no audio or video present. Tests with ASL videos support this criteria.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|--|
| <ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.2.2 (Web) 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | Most tests have no audio or video present. Tests with ASL videos support this criteria. These videos contain captions in addition to the ASL and the content available in the test itself. |
| <u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Not Applicable | Most tests have no audio or video present. Where ASL videos are present, the videos themselves are a media alternative for text and are clearly labeled as such. |
| <u>1.3.1 Info and Relationships</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) | Content: Supports Platform: Supports | Landmarks and headings give the page structure. Form elements such as radio buttons or checkboxes are labelled. Information, structure, and relationships conveyed through presentation can be |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|--|
| <ul style="list-style-type: none"> 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | programmatically determined or are available in text. |
| <u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined. |
| <u>1.3.3 Sensory Characteristics</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | Instructions are provided in accessible ways, and the language is universally designed to be applicable regardless of sensory characteristics |
| <u>1.4.1 Use of Color</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) | Content: Supports Platform: Supports | Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|--|
| <ul style="list-style-type: none"> 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <u>1.4.2 Audio Control</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | Only the Text to Speech accommodated forms include embedded audio. The volume and speed of the audio, which reads item text aloud with synced highlighting, can be controlled using either mouse or keyboard controls. |
| <u>2.1.1 Keyboard</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Partially Supports | All functionality is operable using only a keyboard, with the exception of the magnifying glass tool. |
| <u>2.1.2 No Keyboard Trap</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.1.2 (Web) 10.2.1.2 (Non-web document) | Content: Supports Platform: Supports | If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|--|
| <ul style="list-style-type: none"> 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Not Applicable | Character key shortcuts are not required to navigate this platform or content |
| <p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | Timing is necessary for the assessment, but extra time and extra breaks are available for qualified individuals with an accommodation. |
| <p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) | Content: Supports Platform: Supports | Most tests have no moving content present. Tests with ASL videos allow the user to pause, stop, or hide the video. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--|---|
| <ul style="list-style-type: none"> 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>There is no flashing content</p> |
| <p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.</p> <p>There is a skip to content link to navigate quickly to the main content.</p> <p>There are useful headings and landmarks that allow faster navigation.</p> <p>In some questions that refer to a part of a passage, there are anchor links to the location in the passage that is being referenced so screen reader users can navigate quickly to that point.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--|---|
| <ul style="list-style-type: none"> 602.3 (Support Docs) – Does not apply to non-web docs | | |
| <p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | <p>Content: Not applicable</p> <p>Platform: Supports</p> | <p>Pages have titles that describe the topic or purpose of the page.</p> |
| <p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p> |
| <p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|---|
| Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| 2.5.1 Pointer Gestures (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.5.1 (Web) 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Not applicable | No functionality uses multipoint or path-based gestures for operation. |
| 2.5.2 Pointer Cancellation (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Content: Supports Platform: Supports | Nothing is executed or triggered with a down event using a mouse. |
| 2.5.3 Label in Name (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Content: Supports Platform: Supports | For user interface components with labels that include text or images of text, the name contains the text that is presented visually. |
| 2.5.4 Motion Actuation (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.5.4 (Web) | Not applicable | There is no functionality that can be operated by device motion or user motion. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|--|
| <ul style="list-style-type: none"> 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |
| 3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | The language of each page can be programmatically determined. |
| 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | When any user interface component receives focus, it does not initiate a change of context. |
| 3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.2 (Web) 10.3.2.2 (Non-web document) | Content: Supports Platform: Supports | Inputting information (such as the answer to a question) does not cause any changes to the content or context of the page. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|---|
| <ul style="list-style-type: none"> 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| 3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Not Applicable | |
| 3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Not applicable Platform: Supports | The test platform will inform the user if they have unanswered questions remaining before confirming they want to submit their test. |
| 3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | Content: Instructions are provided when content requires user input. Platform: When user input is required, fields contain labels or instructions. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|---|
| 3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Not Applicable | Auto-population is not applicable – no fields are redundant. |
| 4.1.1 Parsing (Level A) Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata . |
| 4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | For all user interface components the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies. |

Table 2: Success Criteria, Level AA

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|--|
| <p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | There is no live audio or video content present. |
| <p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | No video content is present (except for Video ASL as an accommodation, which would not require an audio description.) |
| <p><u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) | Content: Supports Platform: Supports | The content layout is essential and requires the view to stay in landscape mode for consistent delivery and understanding. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|---|
| Revised Section 508 – Does not apply | | |
| <u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Not Applicable | Input fields do not serve one of the purposes included in this criteria, ie: they do not collect user information such as telephone numbers etc.... The only input fields are radio buttons to select answers, and an open text box for the optional writing test. |
| <u>1.4.3 Contrast (Minimum)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Content: Supports Platform: Supports | All elements meet minimum color contrast ratio standards. Foreground and background colors of text can be adjusted by the user as well. |
| <u>1.4.4 Resize text</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Content: Supports Platform: Supports | Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--|---|
| <p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>Content: Some graphics contain images of text in labels of charts, graphs, or equipment. In these cases, alt text and image descriptions are provided and include all text. Additionally, this text is provided in alternate formats such as large print and braille with tactile graphics.</p> <p>Platform: Images of text are not used in UI elements.</p> |
| <p><u>1.4.10 Reflow</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>Reflow prevents the need for scrolling in two directions up to 300%.</p> |
| <p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>Images and UI elements meet contrast requirements. Additionally, color and contrast options are available and controlled by the user.</p> |
| <p><u>1.4.12 Text Spacing</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>Neither Content nor Platform restrict the user from adjusting text spacing and content is not lost. Height and spacing are not fixed by</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--|---|
| <ul style="list-style-type: none"> 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | author, and can be adjusted by user agent. |
| <p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | <p>Content: Not Applicable</p> <p>Platform: Supports</p> | <p>The Content of the test does not contain hoverable objects. Hoverable platform content is dismissible and persistent, and can be read with a screen reader on focus.</p> |
| <p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.</p> |
| <p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.6 (Web) | <p>Content: Supports</p> <p>Platform: Supports</p> | <p>Headings and labels are provided for ease of navigation and describe the topic or purpose.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| <ul style="list-style-type: none"> 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <u>2.4.7 Focus Visible</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible. |
| <u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Content: Supports Platform: Supports | When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content. |
| <u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Content: Supports Platform: Supports | No dragging movements are required. |
| <u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Content: Supports Platform: Supports | The size of the target for pointer inputs is at least 24 by 24 CSS pixels, |
| <u>3.1.2 Language of Parts</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply | Content: Supports Platform: Supports | The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| <ul style="list-style-type: none"> 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | the vernacular of the immediately surrounding text. |
| 3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | Content: Supports Platform: Supports | Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user. |
| 3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software | Content: Supports Platform: Supports | Components that have the same functionality within a set of Web pages are identified consistently. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| <ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | | |
| 3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Not Applicable Platform: Supports | Content: Because this is an assessment, this criterion doesn't apply to content. No answers or suggestions can be given for answering items correctly. Platform: Platform reminds user of unanswered and flagged questions before submitting the test. |
| 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Content: Supports Platform: Supports | A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission. |
| 3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Content: Not applicable Platform: Supports | A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process |
| 4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) | Content: Not applicable Platform: Supports | Status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--------------------------|
| <ul style="list-style-type: none"> 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |

Table 3: Success Criteria, Level AAA

Notes: Not evaluated against AAA criteria. Table removed.

Revised Section 508 Report

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------|---|---|
| 302.1 Without Vision | Content: Supports Platform: Supports | See WCAG standards above |
| 302.2 With Limited Vision | Content: Supports Platform: Supports | See WCAG standards above |
| 302.3 Without Perception of Color | Content: Supports Platform: Supports | See WCAG standards above |
| 302.4 Without Hearing | Content: Supports Platform: Supports | Listening is not required, but Video American Sign Language can be included in a test for qualified individuals with an accommodation who need reading support. |
| 302.5 With Limited Hearing | Content: Supports Platform: Supports | See WCAG standards above |
| 302.6 Without Speech | Content: Supports Platform: Supports | Speech input is not necessary |
| 302.7 With Limited Manipulation | Content: Supports Platform: Supports | See WCAG standards above |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---|--|
| 302.8 With Limited Reach and Strength | Content: Supports Platform: Supports | Only a keyboard is necessary |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Content: Supports Platform: Supports | This is an educational assessment, and accommodations such as extra time or read aloud supports are available for qualified individuals. |

Chapter 4: [Hardware](#)

Notes: No hardware. Table removed.

Chapter 5: [Software](#)

Notes: Not software. Table removed.

Chapter 6: [Support Documentation and Services](#)

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------------------------|--|
| 601.1 Scope | Heading cell – no response required | Heading cell – no response required |
| 602 Support Documentation | Heading cell – no response required | Heading cell – no response required |
| 602.2 Accessibility and Compatibility Features | Supports | Technical Manual and Accessibility Supports Guide provide information. |
| 602.3 Electronic Support Documentation | See WCAG 2.x section | See information in WCAG 2.x section |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Supports | Technical Manual and Accessibility Supports Guide provide information. |
| 603 Support Services | Heading cell – no response required | Heading cell – no response required |
| 603.2 Information on Accessibility and Compatibility Features | Supports | Technical Manual and Accessibility Supports Guide provide information. |
| 603.3 Accommodation of Communication Needs | Supports | ACT can provide customer support to people with disabilities needing |

| Criteria | Conformance Level | Remarks and Explanations |
|----------|-------------------|---|
| | | assistance or examinees needing accommodations. |

EN 301 549 Report

Chapter [4: Functional Performance Statements \(FPS\)](#)

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 4.2.1 Usage without vision | Supports | See WCAG 2.2 section above |
| 4.2.2 Usage with limited vision | Supports | See WCAG 2.2 section above |
| 4.2.3 Usage without perception of colour | Supports | See WCAG 2.2 section above |
| 4.2.4 Usage without hearing | Supports | Listening is not required within the test, but Video American Sign Language can be included in a test for qualified individuals with an accommodation who need reading support. This includes all test item content. |
| 4.2.5 Usage with limited hearing | Supports | No audio in test experience. Accommodations are available for hard of hearing individuals in the room who need to hear the proctor. |
| 4.2.6 Usage with no or limited vocal capability | Supports | Speech input is not necessary |
| 4.2.7 Usage with limited manipulation or strength | Supports | See WCAG standards above |
| 4.2.8 Usage with limited reach | Supports | See WCAG standards above |
| 4.2.9 Minimize photosensitive seizure triggers | Supports | See WCAG standards above |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 4.2.10 Usage with limited cognition, language or learning | Supports | This is an educational assessment, and accommodations such as extra time or read aloud supports are available for qualified individuals. |
| 4.2.11 Privacy | Supports | |

Chapter [5: Generic Requirements](#)

Notes: Table removed. Generic Requirements here apply only to ICT with closed functionality. This is not applicable.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Not applicable. Table removed.

Chapter [7: ICT with Video Capabilities](#)

Notes: Not applicable. Table removed.

Chapter [8: Hardware](#)

Notes: Not applicable. Table removed.

Chapter [9: Web \(see \[WCAG 2.x section\]\(#\)\)](#)

Notes: Contents of this table are redundant with WCAG 2.2 section above. Table removed.

Chapter [10: Non-Web Documents](#)

Notes: Table removed. Non-web documents are not included in this product.

Chapter [11: Software](#)

Notes: Table removed. The PreACT is neither software nor an authoring tool (included in this table).

Legal Disclaimer

This document is for informational purposes only, and ACT does not guarantee the accuracy of any information presented herein. The information contained in this document represents ACT's current opinion about the state of the product as of the date indicated herein, and the contents of this document are subject to change without notice. ACT does not warrant that this document is error free and makes no other warranties, expressed or implied. ACT specifically

disclaims any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document.